



Wiebusch
Polymerbeton-Technik

Declaration of Performance

according to Annex III of Regulation (EU) No 305/2011
(Construction Products Regulation)

Number of the declaration of performance: 55/2013

Identification code of the product type: Best Channel
Including Silt Boxes

Purpose: Drainage channels for vehicular and pedestrian areas

Relevant harmonized standard: EN 1433:2002 + AC:2004 + A1:2005

Manufacturer: **Wiebusch-Polymerbeton-Technik GmbH & Co. KG**
Am Stadtbruch 4
34471 Volkmarsen

Notified Body that performed Type Test: Kiwa Zemplabor, Beckum
Labor Number: 1032
Type test report reference No.: 10/0373/WP

Initial year of testing: 2010

The manufacturer, Wiebusch polymer concrete GmbH & Co. KG, has made the type testing of construction product and the factory production control and performs the continuous surveillance, assessment and evaluation of the FPC (System 4).

Essential Characteristics:	nominal width:	100mm
	Height :	95mm
	Load class:	A15 + B 125
	Joint system:	safety joint
	Water-tightness:	no leakage
	Durability:	Flexural Strength: 3 samples average value $\geq 22 \text{ N/mm}^2$ Lower individual value $\geq 18 \text{ N/mm}^2$ Compressive Strength: 3 samples average value $\geq 90 \text{ N/mm}^2$ Lower individual value $\geq 75 \text{ N/mm}^2$

Signed for and on behalf of the manufacturer:

Stefan Bauer, PM
Name and Function

Volkmarsen, September 21.09.2022
Place and Date of issue


Signature